



PCT/GB 2003 / 0 0 2 9 6 8



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road

Newport
South Wales
NP19 8QQ

REC'D 30 SEP 2003

WIPO

PCT

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that by virtue of an assignment registered under the Patents Act 1977, the application is now proceeding in the name as substituted.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 7 July 2003



GB 0216142.0

By virtue of a direction given under Section 30 of the Patents Act 1977, the application is proceeding in the name of

H.T.A. HIGHTECH APPLICATIONS HOLDINGS LIMITED,
Office 502,
Nicosia Town Centre,
36 Vironos Avenue,
1096 Nicosia,
Cyprus


Incorporated in Cyprus,

[ADP No. 08659138001]

1977

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



12JUL02 E732790-1 002002
PG1/7700 0.00-0216142.0

The Patent Office

Concept House
Cardiff Road
Newport
South Wales NP10 8Q

1. Your reference **AJF/P60497/000**

2. Patent application number
(The Patent Office will fill in this part)

0216142.0

11 JUL 2002

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Alistair John Knox
102 Loddon Bridge Road
Woodley
Reading
Berkshire
RG5 4AW
United Kingdom.

Spiro John Pandelidis
13, Irakleous Street,
Ano Iliouopolis
163 45 Athens
GREECE

Patents ADP number (if you know it)

8423287001

If the applicant is a corporate body, give the country/state of its incorporation

SEE CONTINUATION SHEET

4. Title of the invention

METHOD AND APPARATUS FOR OPTICAL DISC ACCESS CONTROL

5. Name of your agent (if you have one)

BOULT WADE TENNANT

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

**VERULAM GARDENS
70 GRAY'S INN ROAD
LONDON WC1X 8BT**

Patents ADP number (if you know it)

42001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day/month/year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request?

YES

(Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form 1

Description 19

Claim(s) 8

Abstract 0

Drawing(s) 5

10. If you are also filing any of the following, state how many against each item.

Priority documents 0

Translations of priority documents 0

Statement of inventorship and right to grant of a patent (Patents Form 7/77) 0

Request for preliminary examination and search (Patents Form 9/77) 0

Request for substantive examination (Patents Form 10/77) 0

Any other documents 0
(Please specify)

11

I/We request the grant of a patent on the basis of this application.

Signature

Date

11 July 2002

12.

Name and daytime telephone number of person to contact in the United Kingdom

Dr. Alex Frost
020 7430 7500

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 01645 500505.

b) Write your answers in capital letters using black ink or you may type them.

c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.

d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.

e) Once you have filled in the form you must remember to sign and date it.

f) For details of the fee and ways to pay please contact the Patent Office.

Patent Form 1/77 - CONTINUATION SHEET

3. Full name, address and postcode of the or of
each applicant (*underline all surnames*)

Arie Marinus WIJNEN
94 Goshawk Gardens,
Hayes,
Middlesex.
UB4 8LB
United Kingdom.

Patents ADP number (*if you know it*)

If the applicant is a corporate body, give the
country/state of its incorporation

8423295001

Method and apparatus for optical disc access control

5 The present invention relates to a method of controlling access to an optical disc, in particular when read by an optical disc data reader such as, for example, a CD-ROM drive in a personal computer. The invention also relates to an optical disc to which access is controlled.

10 All digital audio compact discs (CD-DAs) are manufactured to an International Standard (IEC International Standard 908), which is more commonly known to those skilled in the art as the PhilipsTM and SonyTM "Red Book" standard. This sets strict parameters on such features as the physical dimensions of the disc, 15 the EFM data encoding scheme and the Reed-Solomon error correction which is employed. Compact disc read-only memories (CD-ROMs), by contrast, are encoded to a different standard (ISO/IEC International Standard 10149), which is more commonly known to those skilled in 20 the art as the "Yellow Book" standard. The Yellow Book standard incorporates but extends the Red Book standard such that, as a rule, a CD-ROM drive in a computer can make the data on the CD-ROM available to a computer system (for manipulation, execution or copying), but can 25 also read the audio signal data on a CD-DA.

Digital copying, by producing essentially perfect 30 copies of the original, has resulted in many millions of illegal copies of CDs or other digital information carriers being made. This, in turn, has led to a significant loss in copyright royalties. A substantial proportion of this unauthorized activity is associated with home copying and so considerable effort in recent 35 years has been directed to developing various methods to prevent copying of audio compact discs onto readily available low cost digital media.

In general these developments can be characterized as aiming to produce either a processed complete disc or

a disc with selected processed tracks, which have thereby been rendered difficult to copy successfully on certain types of data reader. These attempts at digital audio copy protection have usually focused on the prevention of copying, or even playing, on a personal computer (PC). Most of the prior art techniques utilize differences in the manner in which optical disc data readers and CD audio devices access and playback the data on an optical disc.

WO-A-99/57723 discloses a method that involves interrupting the laser beam used to record a CD or glass master disc, the duration, frequency and placement of the laser beam interruptions being dependent on the content of the data being recorded.

WO-A-00/74053 discloses a method whereby selected control data on a CD is rendered incorrect, such incorrect data not being generally accessed or read by an audio player but being such as to render the CD unplayable by a data reader.

WO-A-01/61695 discloses a method whereby the timing and/or navigation data in the P- and Q- subchannels of a CD is rendered incorrect or inaccurate, thus interfering with the extraction or reading of the audio data by a data reader.

US-B-6208598 discloses a method whereby selected sequences of audio data samples are substituted by incorrect data and the corresponding part of the P-channel is altered to prevent the incorrect data samples being passed to the digital-to-analogue converter of an audio player, an interpolated value being used instead. A copy disc however will not generally have the modified P-channel and so the incorrect data will be replayed, causing audible distortion.

WO-A-01/15028 and WO-A-01/41130 disclose a method whereby selected audio signal data symbols are overwritten with grossly-erroneous values, the error correction parity symbols associated with the said data

5 symbols are then located and overwritten in such a way as to create uncorrectable errors in the codewords containing the erroneous values, such that a CD player will apply interpolative error-concealment to prevent the output of the error.

10 The above systems of necessity all suffer from limitations, either by limiting the strength (and thereby the effectiveness) of the applied copy protection process in order to attempt to ensure 100% compatibility on all types of audio player, or by deliberately limiting its compatibility to certain types of replay device. Such limitation in use is likely to be commercially unattractive.

15 It is an object of the present invention to provide a method of content access control, particularly but not exclusively for controlling access to audio material recorded on optical discs. It is a further object of the present invention to provide an optical disc whose data is access controlled.

20 According to a first aspect of the present invention, there is provided an optical disc comprising at least one primary track, at least one alternate track, and disc access information stored upon the disc and which is read and utilized only by an optical disc data reader, the disc access information being such as to allow location only of the alternate track(s) when the disc is read by the said optical disc data reader.

25 The approach taken by the present invention relies upon the different way in which different types of replay device locate tracks upon the disc. By optical disc data reader is meant any device which allows random reading of data upon the disc, such as a CD-ROM drive or the like. Such devices are normally a part of a personal computer. Optical disc data readers are to be contrasted with CD-DA players such as are found in hi-fi or stereo players, which use a more sequential approach to the

30

35

reading of digital audio data and which cannot read, for example, compressed audio data.

5 Preferably, there are a plurality of primary tracks and a plurality of alternate tracks, at least one of the primary tracks having an associated alternate track. Either one, several, or all of the main/primary tracks on the disc may be provided with associated alternate/secondary tracks.

10 For example, consider an optical disc with 10 tracks, 7 of which are primary tracks and 3 of which are alternate tracks. Consider also that the three alternate tracks each have a corresponding primary track. In that case, the three alternate tracks may include data which, when replayed, is substantially identical to that of the
15 three corresponding primary tracks. However, importantly, whilst a CD-DA player may access the primary tracks (and, preferably, only the primary tracks), an optical disc data reader is able instead to access the four primary tracks which have no alternate track counterpart, and the 3 alternate tracks.
20

In general terms, where an optical disc has m primary tracks and n alternate tracks, ($m+n$ in total), the disc access information preferably indicates to an optical disc data reader that there are only m tracks in
25 total on the disc, made up of n alternate tracks and ($m-n$) primary tracks. Of course, in that case the disc access information preferably indicates to a CD-DA player that there are likewise only m tracks, though here these are the m primary tracks.

30 The benefit of this becomes most apparent when, for example, those primary tracks which would, with prior art optical discs, be the most likely to be pirated are recorded with corresponding alternate tracks. Then, the primary tracks (which will be accessed by a CD-DA
35 player) can be played normally on a CD-DA player. When the disc is accessed by an optical disc data reader, however, it is able to locate only 4 of the 7 primary

tracks (which may be of less concern to the copyright holder in those tracks, for example), and the three alternate tracks.

5 The alternate tracks may in preferred embodiments
comprise standard uncompressed digital audio (CD-DA)
format data. Whilst the optical disc data reader may be
able to play back the three alternate tracks (in this
example) as well (so that the output of an audio player
10 on a personal computer is substantially the same for all
7 accessible tracks as the output of the 7 primary
tracks when played back via a CD-DA player), in that
case the alternate tracks can be copy protected or
otherwise altered to prevent copying through data
15 CD writer in communication with the optical disc data
reader.

In one embodiment, the alternate tracks may be copy
protected using known techniques. Thus, the above
20 exemplary disc access control arrangement potentially
provides for playback of all 7 primary tracks without
any issues of compatibility with CD-DA players, but may
allow copy protection of some (or, indeed, all) of the
same tracks when played by an optical disc data reader
by the use of the alternate tracks. Nevertheless, it is
25 to be understood that the alternate tracks do not
necessarily have to encode the same audio information as
their corresponding primary tracks. Depending on the
application, the associated alternate tracks may either
be shorter, the same length or longer than the
30 corresponding primary track. For example, rather than
copy protecting the alternate tracks, a primary track
representing a piece of music may be associated with a
short excerpt from that piece of music which forms the
associated alternate track. Then, a CD-DA will play all
35 of the piece of music (but without the risk of it being
digitally copied at least onto another optical disc),
whereas only the excerpt will be played back when (to a

user) the apparent same track is accessed by an optical disc data reader.

As an additional or alternative feature, depending on the application, the alternate tracks may carry a short message, such as: "This disc is access controlled". Such a message may be included either by itself, or following a few seconds of the same content as contained on the primary track, or superimposed over a few seconds of the same content as contained on the corresponding primary track. Such a message may be repeated, if this is felt necessary to convey the relevant information.

As yet a further alternative or additional feature, the associated alternate tracks may comprise the same content as contained on the corresponding primary track but with a degraded quality, such that the content is still suitable for listening to in a workplace, for example, but is unsuitable for listening to in a more critical environment such as on high fidelity audio equipment. Such degradation may comprise, for example, the introduction of compression artefacts and/or the addition of low level random noise.

Still a further alternative or additional feature may include the use of compressed audio files in the alternate tracks. For example, the audio files of the alternate tracks may be compressed using MPEG 2/level 3 (MP3), Ogg Vorbis™, streaming audio (e.g. Real Audio™ or Windows™ Media), or some other form of audio data compression scheme generally accessible by data readers.

Such compressed tracks may incorporate a digital rights management technique allowing access by a data reader subject to certain conditions pre-set by the rights owner at the time of creation of the disc. Such conditions, for example, may allow the tracks to play on only a limited number of occasions, or for a limited number of days after first being accessed by that particular data reader, or they may allow the tracks to

be uploaded to the data reader's hard disk but then bind the track to that particular data reader to prevent usable copies of that track being distributed.

5 When the alternate tracks include standard CD-DA format audio data (rather than compressed audio), and in particular when the alternate tracks are shorter than the primary tracks, it may be desirable to include additional compressed audio data which can be recorded to the disc in a second session using known techniques.
10 The use of additional compressed audio files, recorded in a second session, when combined with the foregoing and following methods, provides a significant improvement over the known technique of combining copy protected CD audio tracks with compressed audio files.

15 The above-mentioned advantages of the invention result at least partly from a method for identifying and editing track data in the Table of Contents (TOC) of the disc. An embodiment of the invention therefore allows editing the information in the Point field of the TOC
20 entries both for the primary and for the secondary tracks and also in certain other TOC data fields which relate to the disc as a whole.

In preference, the disc access information is included within a table of contents (TOC) of the optical
25 disc, the TOC having a track number indicator indicative of the track number for each of the tracks on the disc, the track number indicator for the or each primary track which has an associated alternate track preferably being set to zero.

30 In a further alternative, the entry or entries in the TOC for the or each primary track are swapped with the respective entry or entries for the or each of the corresponding alternate tracks.

35 In still a further preferred feature of the present invention, the disc access information is modified so that starting time of at least one of the primary tracks for which there is a corresponding alternate track is

changed to the starting time of that alternate track. Entries in the disc access information relating to the primary tracks may optionally be deleted. The advantage of this procedure is that the data related to the relevant primary track(s) is removed from the disc access information (e.g. the TOC) and thus cannot be readily regenerated by someone intent on gaining access to such primary tracks on a data reader.

The track number indicator for the or each alternate track which has a corresponding primary track is preferably set to indicate the track number of the corresponding primary track.

In each case, it is preferable that the number of tracks on the disc, as indicated to a CD-DA player, is equal to the number of primary tracks only. A CD-DA player will then ignore any alternate tracks.

In a preferred embodiment, the optical disc may include substitute disc access information stored within one or more of the alternate tracks in encrypted form, the substitute disc access information, when decrypted, being readable by an optical disc data reader and further being utilized thereby, when so decrypted, to permit location of the primary track(s). In that case, it is preferable that the optical disc also includes a further track, which in turn includes software code that, when executed by a computer that controls the optical disc data reader, causes the substitute disc access information to be decrypted. The software code may, for example, be executed automatically upon inserting the disc into the computer. Provided that a correct password or the like is entered by a user upon prompting by the computer, the substitute disc access information may then be decrypted and used instead of the "default" disc access information stored upon the disc and which would otherwise be used to control disc access. For example, the substitute disc access information may allow access to the, some more, or all

of the primary tracks. The manner of decryption does not form a part of the present invention. However it will be understood that the password, for example, used to initiate the decryption by the software code on the disc may be subject to purchase by a user so that, in effect, a user pays for unlimited access to (including a licence to copy, perhaps) the primary track(s). If the user does not enter a valid password when prompted, it will be understood that the user need not be prevented from accessing the disc at all, but the original (default) disc access information would then continue to be used so that the user has restricted or no access to the primary tracks.

It is to be understood that the substitute disc access information need not necessarily be included as one of the alternate tracks but may instead be written to the disc in a second session (using known techniques), as described above.

According to a second aspect of the present invention, there is provided a method of generating data for writing onto an optical disc, the method comprising generating primary data representative of m primary track(s) for the optical disc ($m \geq 1$), generating alternate data representative of n alternate track(s) for the optical disc ($n \geq 1$), and assembling a table of contents (TOC) for the optical disc, the TOC containing disc access control information which, when written to an optical disc, indicates to an optical disc data reader that there are m tracks in total written upon that optical disc. In preference, the disc access control information also indicates to a CD-DA player that there are only m tracks on the disc. Preferably, the m tracks indicated to be present to a CD-DA player are different from the m tracks indicated to be present to an optical disc data reader. For example, an optical disc data reader may determine from the disc access control information that there are n alternate tracks

and (m-n) primary tracks, whereas a CD-DA player may simply determine the presence of the m primary tracks.

The invention also extends to an optical disc master upon which is written or stamped data in accordance with the foregoing techniques. This optical disc master may in turn be used to produce, either directly or indirectly, one or more optical discs.

In an alternative aspect, the invention extends to an optical disc onto which data is burned, the data having been generated in accordance with the foregoing techniques.

According to still a further aspect of the present invention, there is provided a method of controlling access by an optical disc data reader to an optical disc having at least one primary track and at least one alternate track, the method comprising the step of preventing the location of the, or at least one of the, primary track(s) when the disc is read by the said optical disc data reader.

The invention may be put into practice in a number of ways, and some of these will now be described by way of example only and with reference to the accompanying drawings in which:

Figure 1 is a process flow diagram showing a sequence of operations to produce an edited TOC and an access-controlled disc according to an embodiment of the invention;

Figure 2 shows a Table of Contents (TOC) for an original unmodified disc;

Figure 3 shows an edited Table of Contents (TOC) for an access-controlled disc according to a first embodiment of the invention;

Figure 4 shows an edited Table of Contents (TOC) for an access-controlled disc according to a second embodiment of the invention; and

Figure 5 shows an edited Table of Contents (TOC) for an access-controlled disc according to a third embodiment of the invention.

5 It will be understood by those skilled in the art that part of the data stream on a CD-DA (audio CD) is set aside to carry several sub-code channels, labeled P, W, R, S, T, U, V and W. Only the P and Q subchannels contain control data for the disc. The Q subchannel can
10 operate in four modes, of which only three (Modes 1, 2 and 3) carry active data. When the Q subchannel is operating in Mode 1, it carries data for the disc lead-in zone, the program zone and the disc lead out zone.

The Q subchannel data content in the lead-in zone differs from the data elsewhere on the disc. In mode 1,
15 the lead-in data comprises the Table of Contents (TOC) for the disc. The TOC stores data indicating, inter alia, the number of audio tracks and the starting times of each track.

Referring now to Figure 1, a process flow diagram
20 of a sequence of operations to produce an edited (TOC) is shown.

Each of an array of first tracks for a CD, referred to hereinafter as "primary" tracks are first assembled at step 101 on a PC's hard disk. Next, a further set of
25 tracks, referred to hereinafter as "alternate" tracks" are assembled in the corresponding order (step 102) on the PC's hard disc. A CD-R disc is then burned at step 103, using readily available CD-R burning software which will be well known to those skilled in the art and does
30 not form a part of the present invention. It should be noted at this point that it is important that the tracks are assembled by the CD-R burning software in such a way that all the primary tracks (including any that may not have corresponding secondary tracks) are recorded on the
35 disc first, in the required program order. This complete sequence of primary tracks is then followed by the secondary tracks in the relevant sequence. At step 104,

the CD-R is then read back into the PC and at step 105, the TOC is analysed. The TOC is then edited at step 106 and this edited TOC is then used to produce a master disc image at step 107.

5 This sequence of actions is taken in order that the initial TOC data may be created by the chosen disc burning software to match precisely the way in which it assembles the tracks on the disc and this data is then edited. However, it should be noted that it is equally
10 possible to generate an edited TOC directly, provided the precise duration of every track, the disc lead-in, the inter-track pauses and the disc lead-out is known.

15 Figure 2 illustrates the unedited TOC data for a sample disc containing four audio tracks of approximately 30 seconds duration each. When the Point field is set to 0xa0 as in Entry 0, the minute field Pmin of that Entry 0, 201, shows the number of the first track on the disc. When the Point field is set to 0xa1 as in Entry 1, the minute field Pmin of Entry 1,
20 202, shows the number of the last track on the disc. Entries 3, 4, 5 and 6 contain the data relating to each program track and in this example the Point field 203 of each entry (in the form 0xnn, where nn is the relevant track number in hexadecimal format) indicates the track
25 number. It should be noted that the numbered Entries (0, 1, 2, 3 4, etc.) in square brackets [] are merely headings for convenience of reference, which are treated by the CD burning software as comments which are not to be acted upon.

30 Figure 3 illustrates the edited TOC data resulting from the application, to a sample disc, of a first method in accordance with the present invention. In the embodiment of Figure 2, the sample disc contains four tracks, comprising two primary tracks of approximately
35 30 seconds duration each, and two tracks nominated as alternate tracks, also of approximately 30 seconds duration each. First, the number of tracks on the disc,

as noted at 301 in the minute field Pmin of Entry 1, is modified to correspond with the number of primary tracks only (i.e. 2 in this case). Secondly, the data in the Point field 302 for each primary track for which there is a corresponding alternate track is then changed to read 0 (zero), and finally the data in the Point field of each corresponding alternate track is then edited so as to have the track number of the relevant primary track, so in this example the Point field 303 for track 3 (Entry 5) is changed to 0x01 and the Point field 304 for track 4 (Entry 6) is changed to 0x02.

A TOC edited as described in connection with Figure 3 may be written back to an optical disc as described above in connection with Figure 1. An optical disc including such an edited TOC will be access controlled as follows.

A CD-DA attempting to access a disc with a TOC edited in accordance with Figure 3 will be told that there are only two tracks on the disc. This is because CD-DA players use the information in the Pmin field 301 of Entry 1 to determine the number of tracks m on the disc. The first m tracks are then read. Any tracks after the mth track are then ignored by a CD-DA player. Thus, by setting the Entry 1 Pmin pointer to 2, in this example, a CD-DA will ignore the 2 "extra" alternate tracks after the primary tracks.

By contrast, when an optical disc data recorder accesses a disc with a TOC thus modified, it uses the information in the Pmin field 201 of Entry 0 to determine the number of the first track on the disc, and then searches for that number in the Point fields of the information in the PTime fields of the numbered track entries to determine the location on the disc of the relevant tracks, as well as using the information in the Pmin field 301 of Entry 1. Thus, an optical disc data reader is always directed to the two alternate tracks

and is not aware of the presence of the two primary tracks.

The method described in connection with Figure 3 is generally applicable, not just in the case (as described) where there are equal numbers of primary and alternate tracks. In certain circumstances, it may be desirable to include fewer alternate tracks than primary tracks, for example when there are a number of tracks the copying of which would not be of significant concern to a copyright holder. For example, there may be 10 tracks in total on a disc, 7 of which are primary tracks and three of which are alternate tracks. Then, three of the primary tracks may have corresponding alternate tracks, so that 4 of the primary tracks have no corresponding alternate track. Then, a CD-DA will locate the 7 primary tracks and an optical disc data reader will locate 4 of the 7 primary tracks and the three alternate tracks.

It will therefore be understood that, even though there are a total of m primary + n alternate tracks on such a disc, different devices (CD-DA player and CD-ROM drive, for example) will both access, in preferred embodiments, the same number of tracks (the m primary tracks in the case of the CD-DA player, and the $(m-n) + n$ ($=m$) primary and alternate tracks in the case of the optical disc data reader).

Whilst the technique described above does require that there are more tracks in total ($m+n$) than are ever used by a single device (CD-DA player or CD-ROM drive), the effective reduction in disc capacity is not considered to be a significant handicap, particularly given the benefits of the invention. Indeed, most audio CDs do not use anywhere near their maximum storage capacity (equivalent to about 70 to 80 minutes of audio data in CD-DA format). Thus, even where all of the primary tracks have alternate tracks that are in CD-DA format (perhaps with some form of copy protection) and

where each of those alternate tracks are of equal or substantially equal length to their corresponding primary tracks, disc space is not usually a problem. In many cases, the alternate tracks may in fact be
5 substantially shorter than the primary tracks (containing, perhaps, CD-DA audio representing an excerpt of the corresponding primary track, or a spoken copy protection warning as described above). Moreover, the alternate tracks, which are always accessed
10 exclusively by an optical disc data reader rather than a CD-DA player in the described embodiments, can employ known audio compression techniques such as Moving Pictures Experts Group (MPEG) 2/level 3 (MP3), Ogg Vorbis™, streaming audio (e.g. Real Audio™ or Windows™
15 Media), or some other form of audio data compression scheme generally accessible by data readers, to reduce the size of the alternate tracks.

When the alternate tracks include standard CD-DA format audio data (rather than compressed audio), it may
20 be desirable to include additional compressed audio data which can be recorded to the disc in a second session using known techniques. The use of additional compressed audio files, recorded in a second session, when combined with the foregoing and following methods, provides a
25 significant improvement over the known technique of combining copy protected CD audio tracks with compressed audio files. A CD-DA player will, of necessity, have to read a processed copy protected track when attempting to play back the latter type of disc. This in turn may well
30 result in playback artefacts as will be the case with some of the prior art arrangements set out above. A CD-DA player playing a disc formed in accordance with embodiments of the present invention will, by contrast, not have to play a processed (primary) track so that no
35 possibility of playback artefacts exists. When an optical disc data reader plays back a disc in accordance with the present invention, however, it is directed to

the alternate tracks, optionally along with the additional compressed audio files recorded in the second session. A voice message on the alternate tracks can direct the data reader user to play the compressed files if they wish to listen to the disc content. If desired, a software player for the compressed files can be bundled with the compressed files on the disc, and this software player can be set to autoplay when the disc is inserted in the data reader. If a copy of such a disc were made, the only content which would appear on the copied disc would be the alternate tracks and (subject to the characteristics and settings of the copying software utilised) any data content, such as the alternative compressed files along with the software player where present.

Figure 4 illustrates the edited TOC data resulting from the application to the same unedited sample disc (Figure 2) of a second method which embodies the present invention. First, the number of TOC entries is reduced by the number of secondary tracks on the disc - in this example with 2 secondary tracks, the number of entries (indicated in Figure 4 at 401) is reduced from 7 to 5. Secondly, the number of tracks on the disc, as noted in the minute field Pmin 402 of Entry 1, is modified to correspond with the number of primary tracks only (i.e. 2). Thirdly, the entries for each primary track for which there is a corresponding alternate track are completely deleted (in this case Entries 3 and 4), and finally the data in the Point field of each corresponding alternate track is then edited so as to have the track number of the relevant primary track, so in this example the Point field 403 for track 3 (Entry 5) is changed to 0x01 and the Point field 404 for track 4 (Entry 6) is changed to 0x02. This second method has the advantage that the data related to the relevant primary tracks has been removed from the TOC and thus

cannot be readily regenerated by someone intent on gaining access to such primary tracks on a data reader.

Referring now to Figure 5, a third method according to an embodiment of the present invention is illustrated. First, the number of tracks on the disc, as noted in the minute field Pmin, 501, of Entry 1, is modified so as to correspond with the number of primary tracks only, in this case 2. Secondly, the data in the PTime field for each primary track for which there is a corresponding alternate track is changed so as to have the relevant starting time of that corresponding alternate track, so in this example the Pmin, Psec and Pframes fields 502 for track 1 (Entry 3) are changed to 1, 2 and 71 respectively, whilst the Pmin, Psec and Pframes fields 503 for track 2 (Entry 4) are changed to 1, 33 and 32. Having done this, it is not necessary to delete the Entries 5 and 6, although this may be done if desired. Of course, if these two entries are removed, then it is necessary in consequence to amend the total number of TOC entries as is done with the second method described above in connection with Figure 4. As with that second method, this third method has the advantage that the data related to the relevant primary tracks has been removed from the TOC and thus cannot be readily regenerated by someone intent on gaining access to such primary tracks on a data reader.

In a fifth method embodying the present invention, the complete TOC entries for the alternate tracks are swapped with those of the primary tracks and the track numbers exchanged so that the alternate tracks have the track numbers of the primary tracks and vice versa. The number of tracks on the disc, as noted in the minute field Pmin of Entry 1, is again modified to correspond with the number of primary tracks only.

The methods described in the foregoing may be optionally enhanced by encrypting the alternate tracks and/or requiring a password to be entered to gain access

to them. In a further embodiment, one of the alternate tracks could be an encrypted version of a different, substitute TOC, accessible only to users who are given access to the decryption key - possibly in return for paying a fee. Access to such a substitute TOC would then enable a data reader to access some, some more or all of the primary tracks. In that case, a small additional data track recorded on the disc is usually necessary, to decode and extract the encrypted substitute TOC, such that the optical disc data reader can then use that (substitute) TOC instead. Rather than including the substitute TOC as one of the alternate tracks, it will be understood that the substitute TOC may instead be written to the disc in a second session, using known techniques, as described above in connection with the addition of further compressed audio files. Optionally, any executable code to allow access to this substitute TOC may be included as a data file recorded in a second session as well.

Additional electronic security features and enhancements, known to those skilled in the art, may also be incorporated into the system for greater assurance.

It will be understood that the methods described do not of necessity require copy protection or digital rights management techniques to be applied to the alternate tracks: the methods embodying the invention can be operated in 'stand-alone' mode (that is, simply as a disc access control procedure) or incorporated as an extension to existing types of digital audio copy protection. By altering the number, length and nature of the alternate tracks, a wide variety of different applications is envisaged, some of which will be more appropriate to closed user groups and some of which are more applicable for use with the general public. There is independence in terms of what type of copy protection methods may be utilized, what additional security

features may be incorporated and what means of CD burning software may be used.

5 While the preferred embodiments of the invention have been described herein, it is to be understood that the invention is not limited to these and modifications of the embodiments described may become apparent to those of ordinary skill in the art.

CLAIMS:

1. An optical disc comprising:
at least one primary track;
5 at least one alternate track; and
disc access information stored upon the disc and
which is read and utilized only by an optical disc data
reader, the disc access information being such as to
allow location only of the alternate track(s) when the
10 disc is read by the said optical disc data reader.

2. The optical disc of claim 1, in which there
are a plurality of primary tracks and a plurality of
alternate tracks, at least one of the primary tracks
15 having an associated alternate track.

3. The optical disc of claim 2, wherein the, or
at least one, primary track is an audio track encoding
audio information capable of playback by a CD audio
20 player, and wherein the, or at least one, alternate
track is a data track encoding audio information capable
of playback by an optical disc data reader.

4. The optical disc of claim 3, wherein the audio
25 information encoded within a primary track on the
optical disc, when played back by a CD audio player,
corresponds substantially with the audio information
encoded within an associated alternate track when played
back by an optical disc data reader.

5. The optical disc of claim 3, wherein the audio
information encoded within a primary track on the
optical disc, when played back by a CD audio player, is
of different length and/or different audio content to
35 the audio information encoded within an associated
alternate track when played back by an optical disc data
reader.

6. The optical disc of claim 2, claim 3, claim 4 or claim 5, in which each of the primary tracks has an associated alternate track.

5 7. The optical disc of any of claims 2 to 6, wherein there are m primary tracks and n alternate tracks, the disc access information indicating to an optical disc data reader that there are only m tracks in total upon the optical disc.

10 8. The optical disc of claim 7, wherein the disc access information further indicates to a CD-DA player that there are only m tracks in total upon the disc, the disc access information causing a different m of the m+n tracks to be accessible to an optical disc data reader than the m tracks which are accessible by a CD-DA player.

15 9. The optical disc of claim 7 or claim 8, wherein m n and wherein the disc access information indicates to a CD audio player that there are m primary tracks only, and wherein the disc access information indicates to an optical disc data reader that there are n alternate tracks and (m-n) primary tracks.

20 10. The optical disc of any of claims 2 to 9, wherein the disc access information is included within a table of contents (TOC) of the optical disc, the TOC having a track number indicator indicative of the track number for each of the tracks on the disc, and wherein the track number indicator for the or each primary track which has an associated alternate track is set to zero.

25 11. The optical disc of any of claims 2 to 9, wherein the disc access information is included within a table of contents (TOC), the TOC including entries for the or each alternate track for which there is a

corresponding primary track but having no entries for each such corresponding primary track.

12. The optical disc of any of claims 2 to 9,
5 wherein the disc access information is included within a table of contents (TOC), the TOC including timing entries indicative of a start time for the tracks, and wherein the start time in the timing entry of at least one of the primary tracks is replaced with the start
10 time of its corresponding alternate track.

13. The optical disc of any of claims 2 to 9, wherein the disc access information is included within a table of contents (TOC), the TOC comprising track
15 number entries for each of the tracks on the optical disc, and wherein the track number entry or entries in the TOC for the or each primary track are swapped with the respective track number entry or entries for the or each of the corresponding alternate tracks.

20 14. The optical disc of any one of claims 10 to 13, wherein the TOC includes a total track quantity entry indicative of the total number of tracks upon the disc, and wherein that total track quantity entry
25 indicates only the total number of primary tracks upon the disc.

15. The optical disc of claim 10 or claim 11, wherein the track number indicator for the or each
30 alternate track which has a corresponding primary track is set to indicate the track number of the corresponding primary track.

16. The optical disc of any preceding claim,
35 further comprising substitute disc access information stored upon the disc in encrypted form, the substitute disc access information, when decrypted, being usable by

an optical disc data reader, when so decrypted, to permit location of the primary track(s).

5 17. The optical disc of claim 16, further comprising computer program code upon the disc and which, when executed, causes a computer which includes the optical disc data reader to access and decrypt the substitute disc access information, and to cause the optical disc data reader then to use the decrypted disc
10 access information to locate tracks upon the disc.

15 18. The optical disc of claim 16 or claim 17, wherein the substitute disc access information permits location only of the primary tracks once the said substitute disc access information has been decrypted.

20 19. The optical disc of claim 16, wherein the substitute disc access information is stored upon the disc as an alternate track.

20 20. The optical disc of any preceding claim, wherein at least one of the alternate tracks comprises compressed or encrypted data.

25 21. The optical disc of claim 20, wherein the compressed data represent an audio signal encoded to a standard such as MP3.

30 22. The optical disc of any preceding claim, in which the, or at least one of the alternate tracks, incorporates a digital rights management technique.

35 23. The optical disc of any of claims 1 to 21, in which the, or at least one of the alternate tracks, incorporates copy protection.

24. A method of generating data for writing onto an optical disc, the method comprising:

generating primary data representative of m primary track(s) for the optical disc ($m \geq 1$);

5 generating alternate data representative of n alternate track(s) for the optical disc ($n \geq 1$); and

assembling a table of contents (TOC) for the optical disc, the TOC containing disc access control information which, when written to an optical disc, indicates to an optical disc data reader that there are
10 m tracks in total written upon that optical disc.

25. The method of claim 24, wherein the disc access control information further indicates to a CD-DA player that there are m tracks in total written upon that optical disc, the disc access information causing a different m of the m+n tracks to be accessible to an optical disc data reader than the m tracks which are accessible by a CD-DA player.

26. The method of claim 24 or claim 25, wherein the step of assembling a TOC comprises:

writing the generated primary and alternate data to an optical disc;

25 reading back the data thus written, including an unmodified TOC including unmodified disc access information for all of the m+n tracks, to a data analysis device; and

30 editing the unmodified TOC so as to produce a modified TOC containing the said disc access control information indicative to a CD audio player of the presence of the m primary tracks, and to an optical disc data reader of the presence of n alternate tracks and m-n primary tracks.

35 27. The method of claim 26, wherein the unmodified TOC further comprises a plurality of track number

indicators, the method further comprising editing the unmodified TOC so as to alter the track number indicators for at least some of the primary tracks.

5 28. The method of claim 27, wherein the step of editing the unmodified TOC comprises setting to zero the track number indicators of those primary tracks which are to be altered, so that an optical disc data reader no longer detects the presence of the said altered
10 primary track number indicator(s).

 29. The method of claim 27, wherein the step of editing the unmodified TOC comprises deleting those parts of the TOC relating to at least some of the m
15 primary tracks.

 30. The method of claim 27 or claim 28, wherein at least one of the m primary tracks has a corresponding alternate track, the step of editing the unmodified TOC
20 further comprising replacing the track number indicators of each of the alternate tracks which has a corresponding primary track with the track number indicator of that corresponding primary track in the unmodified TOC.

25 31. The method of claim 27, wherein the step of editing the TOC comprises swapping the track number indicators of at least one of the primary tracks with track number indicators for a corresponding number of
30 alternate tracks.

 32. The method of claim 26, wherein the step of editing the TOC comprises replacing the start time of the, or at least one of the, primary tracks with the
35 start time of an associated alternate track.

33. The method of any one of claims 26 to 32, wherein the unmodified TOC further includes a total track quantity entry, the step of editing the unmodified TOC comprising reducing the total quantity of tracks in the total track quantity entry so that it indicates, in the modified TOC, only the number of primary tracks present.

34. An optical disc master upon which is written or stamped data generated according to the method of any of claims 24 to 33.

35. An optical disc formed directly or indirectly from the optical disc master of claim 34.

36. An optical disc onto which data is burned, the data being generated in accordance with the method of any of claims 24 to 33.

37. A method of controlling access by an optical disc data reader to an optical disc having at least one primary track and at least one alternate track, the method comprising the step of preventing the location of the, or at least one of the, primary track(s) when the disc is read by the said optical disc data reader.

38. The method of claim 37, the method further comprising allowing the location only of the or each primary track when the disc is read by a CD-DA player.

39. The method of claim 37 or claim 38, wherein the disc has m primary tracks ($m \geq 1$) and n alternate tracks ($n \geq 1$), the method further comprising permitting access to the n alternate track(s) and $(m-n)$ of the primary tracks when the disc is accessed by an optical disc data reader, and permitting access to the m primary tracks when the said disc is accessed by a CD-DA player.

40. A method of controlling access to an optical disc substantially as herein described or with reference to the Figures.

5 41. A method of generating data for writing to an optical disc substantially as herein described or with reference to the Figures.

10 42. An optical disc substantially as herein described or with reference to the Figures.

: 157482: AJF: AJF: READDOS




Fig. 1

Example original unedited TOC file
4 Audio Tracks

[Disc]
TocEntries=7
Sessions=1
DataTracksScrambled=0
CDTextLength=0

[Session 1]
PreGapMode=0
PreGapSubC=0

[Entry 0]
Session=1
Point=0xa0
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=21
ALBA=7821
Zero=0
PMin=1 ← 201
PSec=0
PFrame=0
PLBA=4350

[Entry 1]
Session=1
Point=0xa1
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=24
ALBA=7824
Zero=0
PMin=4 ← 202
PSec=0
PFrame=0
PLBA=17850

[Entry 2]
Session=1
Point=0xa2
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=27
ALBA=7827
Zero=0
PMin=2
PSec=3
PFrame=67
PLBA=9142

[Entry 3]
Session=1
Point=0x01 ← 203
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=43
AFrame=4
ALBA=7579
Zero=0
PMin=0
PSec=2
PFrame=0
PLBA=0

[Entry 4]
Session=1
Point=0x02 ← 203
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=33
ALBA=7833
Zero=0
PMin=0
PSec=32
PFrame=36
PLBA=2286

[Entry 5]
Session=1
Point=0x03 ← 203
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=15
ALBA=7815
Zero=0
PMin=1
PSec=2
PFrame=71
PLBA=4571

[Entry 6]
Session=1
Point=0x04 ← 203
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=18
ALBA=7818

Zero=0
PMin=1
PSec=33
PFrame=32
PLBA=6857

[TRACK 1]
MODE=0
INDEX 1=0

[TRACK 2]
MODE=0
INDEX 1=2286

[TRACK 3]
MODE=0
INDEX 1=4571

[TRACK 4]
MODE=0
INDEX 1=6857

FIG. 2

Example edited TOC file – First Method
2 Primary Tracks / 2 Alternate Tracks

[Disc]	[Entry 3]	Zero=0
TocEntries=7	Session=1	PMin=1
Sessions=1	Point=0x00 ← 302	PSec=33
DataTracksScrambled=0	ADR=0x01	PFrame=32
CDTextLength=0	Control=0x00	PLBA=6857
	TrackNo=0	
[Session 1]	Amin=1	[TRACK 1]
PreGapMode=0	ASec=43	MODE=0
PreGapSubC=0	AFrame=4	INDEX 1=0
	ALBA=7579	
[Entry 0]	Zero=0	[TRACK 2]
Session=1	PMin=0	MODE=0
Point=0xa0	PSec=2	INDEX 1=2286
ADR=0x01	PFrame=0	
Control=0x00	PLBA=0	[TRACK 3]
TrackNo=0		MODE=0
Amin=1	[Entry 4]	INDEX 1=4571
ASec=46	Session=1	[TRACK 4]
AFrame=21	Point=0x00 ← 302	MODE=0
ALBA=7821	ADR=0x01	INDEX 1=6857
Zero=0	Control=0x00	
PMin=1	TrackNo=0	
PSec=0	Amin=1	
PFrame=0	ASec=46	
PLBA=4350	AFrame=33	
	ALBA=7833	
[Entry 1]	Zero=0	
Session=1	PMin=0	
Point=0xa1	PSec=32	
ADR=0x01	PFrame=36	
Control=0x00	PLBA=2286	
TrackNo=0		
Amin=1	[Entry 5]	
ASec=46	Session=1	
AFrame=24	Point=0x01 ← 303	
ALBA=7824	ADR=0x01	
Zero=0	Control=0x00	
PMin=2 ← 301	TrackNo=0	
PSec=0	Amin=1	
PFrame=0	ASec=46	
PLBA=17850	AFrame=15	
	ALBA=7815	
[Entry 2]	Zero=0	
Session=1	PMin=1	
Point=0xa2	PSec=2	
ADR=0x01	PFrame=71	
Control=0x00	PLBA=4571	
TrackNo=0		
Amin=1	[Entry 6]	
ASec=46	Session=1	
AFrame=27	Point=0x02 ← 304	
ALBA=7827	ADR=0x01	
Zero=0	Control=0x00	
PMin=2	TrackNo=0	
PSec=3	Amin=1	
PFrame=67	ASec=46	
PLBA=9142	AFrame=18	
	ALBA=7818	

FIG. 3

Example edited TOC file – Second Method
2 Primary Tracks / 2 Alternate Tracks

```

[Disc]
TocEntries=5 ← 401
Sessions=1
DataTracksScrambled=0
CDTextLength=0

[Session 1]
PreGapMode=0
PreGapSubC=0

[Entry 0]
Session=1
Point=0xa0
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=21
ALBA=7821
Zero=0
PMin=1
PSec=0
PFrame=0
PLBA=4350

[Entry 1]
Session=1
Point=0xa1
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=24
ALBA=7824
Zero=0
PMin=2 ← 402
PSec=0
PFrame=0
PLBA=17850

[Entry 2]
Session=1
Point=0xa2
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=27
ALBA=7827
Zero=0
PMin=2
PSec=3
PFrame=67
PLBA=9142

[Entry 5]
Session=1
Point=0x01 ← 403
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=15
ALBA=7815
Zero=0
PMin=1
PSec=2
PFrame=71
PLBA=4571

[Entry 6]
Session=1
Point=0x02 ← 404
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=18
ALBA=7818
Zero=0
PMin=1
PSec=33
PFrame=32
PLBA=6857

[TRACK 1]
MODE=0
INDEX 1=0

[TRACK 2]
MODE=0
INDEX 1=2286

[TRACK 3]
MODE=0
INDEX 1=4571

[TRACK 4]
MODE=0
INDEX 1=6857

```

FIG. 4

Example edited TOC file - Third Method
2 Primary Tracks / 2 Alternate Tracks

[Disc]
TocEntries=7
Sessions=1
DataTracksScrambled=0
CDTextLength=0

[Session 1]
PreGapMode=0
PreGapSubC=0

[Entry 0]
Session=1
Point=0xa0
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=21
ALBA=7821
Zero=0
PMin=1
PSec=0
PFrame=0
PLBA=4350

[Entry 1]
Session=1
Point=0xa1
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=24
ALBA=7824
Zero=0
PMin=2 ← 501
PSec=0
PFrame=0
PLBA=17850

[Entry 2]
Session=1
Point=0xa2
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=27
ALBA=7827
Zero=0
PMin=2
PSec=3
PFrame=67
PLBA=9142

[Entry 3]
Session=1
Point=0x01
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=43
AFrame=4
ALBA=7579
Zero=0
PMin=1
PSec=2 ← 502
PFrame=71
PLBA=0

[Entry 4]
Session=1
Point=0x02
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=33
ALBA=7833
Zero=0
PMin=1
PSec=33 ← 503
PFrame=32
PLBA=2286

[Entry 5]
Session=1
Point=0x03
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=15
ALBA=7815
Zero=0
PMin=1
PSec=2
PFrame=71
PLBA=4571

[Entry 6]
Session=1
Point=0x04
ADR=0x01
Control=0x00
TrackNo=0
AMin=1
ASec=46
AFrame=18
ALBA=7818

Zero=0
PMin=1
PSec=33
PFrame=32
PLBA=6857

[TRACK 1]
MODE=0
INDEX 1=0

[TRACK 2]
MODE=0
INDEX 1=2286

[TRACK 3]
MODE=0
INDEX 1=4571

[TRACK 4]
MODE=0
INDEX 1=6857

FIG. 5

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.